


None

Agaricus pocillator Murrill



TOPS: Wincopin Trail, 8/21/2011, J. Solem.
GILLS, CAP, STALK, RING: Wincopin Trail, 8/21/2011, J. Solem.

None

Agaricus pocillator
Agaricaceae

J	F	M	A	M	J	J	A	S	O	N	D
					---	---	---+	+-	---		

ID: Whitish, small concentric scales, small umbo; superior double ring; gills become brown. Use KOH.

Habitat: Alone, groups. In hardwood/mixed forests.

Cap: 1.2 – 4" [3-10 cm]

Whitish/dingy. Small umbo may be darker. Concentric brownish-grayish scales near center. Convex (broadly convex/nearly flat in age). Can have unpleasant odor.

Gills: White, then pinkish (brown in age). Free. Close. Secondary gills.

Spores: *Dark brown/black*. Bean-shaped, smooth, brown.

Stalk: 1.6 – 3.1" x 0.2 – 0.4" [4 – 8 cm x 5 – 10 mm]

Whitish/dingy. Nearly equal. Whitish double ring (brown in age). Flesh of small bulbous base bruises yellow. Base usually has 1-2 root-like rhizomorphs.

Frequency: Uncommon.

Locations: WSTRP, WINTR.

Notes: Mycobank 283988. KOH stains cap and flesh yellow.

References: BBH 162. Bni 326fn. BRBD 102, 16. E&S 120fn. K&M 82. Kuo. W&L 402.