

Yellow Nolanea
Yellow Unicorn Entoloma

Entoloma murrayi (Burkeley &
M.A. Curtis) Saccardo



OVERALL: Long Corner, PRSP, 6/27/2009, *R. Solem*.
SIDE: Long Corner, PRSP, 6/27/2009, *R. Solem*.
OVERALL and GILLS: Long Corner, PRSP, 6/27/2009, *R. Solem*.
SIDE: Pigtail, 6/24/2014, *J. Solem*.
SIDE: Gorman Stream Valley NRA, 7/28/2018, *J. Solem*.

Yellow Nolanea
Yellow Unicorn Entoloma

Entoloma murrayi
Entalomataceae

J	F	M	A	M	J	J	A	S	O	N	D
					+++	+++	+++	+++	---		

ID: On ground in forests. Cap orange-yellow, fades in age, smooth, moist; bell-shaped, pointed umbo; convex in age. Stalk yellow w/ white mycelium.

Habitat: Scattered, groups. On ground in forests.

Cap: 0.4 – 1.2" [1 – 3 cm]

Yellow/orangish-yellow (fades in age). Moist. Smooth. Bell-shaped/convex (more convex in age), small pointed umbo. Margin splits in age. Flesh yellowish.

Gills: Yellow (pinkish tinged in age). Narrowly attached/notched. Subdistant. Broad.

Spores: *Salmon-pink*. Angled, 4-sided, straw color.

Stalk: 2 – 4" x 1/16 – 1/4" [5 – 10 cm x 2 – 5 mm]
Yellow. Dry. Hollow. White mycelium.


Frequency: Fairly common.

Locations: BOLPL, BRNBR, GONRA, LONGC, MANWD, PIGTL, RKBPR, ROBNC, ROGOR, SAVPK, WINTR.

Notes: Mycobank 158631. Pigtail and Gorman Stream Valley NRA specimens identified by examination of spores by R. Solem. Gorman Stream Valley NRA fruiting body was white.

Synonyms: *Nolanea murrayi*. *Inocephalus murrayi*.

References: Bar 184. BBF 214, 303. BBH 145. Bni 243. BRBD 178, 39. E&S 185. K&M 173. Lin 643, 50. M&M 213. Phi 156. Roo 196. Stu 237. W&L 408.



SPORES (10.5 – 11.9 X 7.1 – 8.8 µm): Pigtail, 6/24/2014, *R. Solem*.
SPORES (9.6-11.1 x 7.3-9.8 µm): Gorman Stream Valley NRA, 7/28/2018, *R. Solem*.