

Yellow-red Gill Polypore

Gloeophyllum sepiarium
(Wulfen) P. Karsten



OVERALL: High Ridge Park, 9/9/009, R. Solem.

PORES: High Ridge Park, 9/9/2009, R. Solem.

Yellow-red Gill Polypore

Gloeophyllum sepiarium
Gloeophyllaceae

J	F	M	A	M	J	J	A	S	O	N	D
---	---	---	---	---	---	---	---	+	---	+	---

ID: Body yellowish-/reddish-brown, fan-shaped, concentrically zoned, uneven, tufts of tiny hairs, smooth in age, margin lighter. Pores golden-/rusty-brown, gill-like labyrinthine pores. Use KOH.

Habitat: Solitary, groups, rosette-like clusters. On decaying wood (usually conifers).

Fruiting Body: 1 – 4" [2.5 – 10 cm]

Bright yellowish-red/reddish-brown, margin whitish- orange-/brownish-yellow, irregular/wavy w/tufts of tiny hairs; distinct zones/furrows. Surface covered w/ short stiff hairs (matted/felty or nearly smooth in age). Fan-shaped. Flesh yellow-/rusty-brown, fibrous-tough.

Pores: Golden-/rusty-brown. Gill-like to labyrinthine (often both) sometimes elongated pores (1 – 2/mm).

Spores: *White*.

Frequency: Uncommon.

Locations: HIRIP, TRIRS.

Notes: Mycobank 356810. Flesh turns black with KOH.

References: Bar 142. BBF 379, 396. BRBD 255, 60. Lin 463, 516. M&M 427. Phi 312. Roo 371fn. Stu 318. W&L 571-2.