

None

*Lenzites elegans* (Spreng.) Pat..



UPPER SURFACE: Wincopin, 7/18/2010, J. Solem.

PORES: Wincopin, 7/18/2010, J. Solem.

None

[\*Lenzites elegans\*](#)  
Polyporaceae

J	F	M	A	M	J	J	A	S	O	N	D			
					-	-	+	-	-	-	+	-	-	+

**ID:** Body whitish (may be darker in age); bracket-/kidney-shaped or irregular; stalkless. Fertile surface whitish/ grayish, angular/ maze-like/slots. Use KOH.

**Habitat:** Solitary, groups. On hardwood stumps/logs (occasionally on pine).

**Fruiting Body:** 0.8 – 5.5” [2 – 14 cm]

Whitish/yellowish/buff (sometimes darker in age). Lumpy near point of attachment, may have concentric zones of texture. Irregularly bracket-/kidney-shaped or flattened-convex. Smoother toward margin (thin, more or less wavy). Flesh whitish, tough/ corky (stiff in age).

**Pores:** Whitish/grayish. Variable (poroid [1-2/mm, round or angular]; maze-like slots <= 2 mm wide; gill-like), often all three present, changing shape from base to margin. Tubes/gills <= 6 mm deep.

**Stalk:** None or rudimentary (up to 1.1” [3 cm]).

**Spores:** *White*.

**Frequency:** Occasional.

**Locations:** NOLAP, SLMLP, WINTR.

**Notes:** Mycobank 445947. KOH stains flesh yellow.

**Synonym:** *Trametes elegans*.

**References:** BBF 381, 400. KUM 371. Kuo. Roo, 371 fn.”