

None

*Lepiota clypeolaria* (Bulliard) P. Kummer [group]



OVERALL (young): Pigtail, 8/20/2020, J. Solem.  
 CAP: Pigtail, 8/20/2020, J. Solem.  
 OVERALL: Pigtail, 8/20/2020, J. Solem.  
 GILLS and STALK: Pigtail, 8/20/2020, J. Solem.  
 STALK BASE: Pigtail, 8/20/2020, J. Solem.

None

[\*Lepiota clypeolaria\*](#)  
Agaricaceae

J	F	M	A	M	J	J	A	S	O	N	D
						---	++	---			

**ID:** Yellow-brown w/ soft, fibrillose scales; darker center. Dry. Egg-shaped (bell-shaped in age). Margin often has pieces of veil.

**Habitat:** Scattered, groups. On ground or decayed wood in forest litter (hardwoods or conifers).

**Cap:** 0.6 – 1.4" [1.5 – 3.5 cm]  
Yellow-brown w/ soft, fibrillose scales. Darker center. Dry. Egg-shaped (bell-shaped in age). Margin often has pieces of veil. Flesh white.

**Gills:** Creamy-white. Free. Close. Narrow. Secondary gills.

**Spores:** White. Subfusiform/one side flat, smooth, hyaline.


**Stalk:** 0.6 – 1.1" x 1/8 – 1/6" [3 – 2.8 cm x 3 – 4 mm]  
Whitish (bruises orangish-brown). Shaggy below ring. Nearly equal. Ephemeral ring often disappears. Base w/ white mycelium attached to white rhizomorphs.

**Frequency:** Uncommon.

**Locations:** PIGTL.

**Notes:** Mycobank 216879. Pigtail specimen identified by examination of spores by R. Solem.

**References:** BBF 187key. BBH 89. BRBD 166, 35. E&S 207. Kuo. Lin 516, 176. M&M 57.



SPORES (11.9-13.8 x 4.6-5.0 µm):  
Pigtail, 8/20/2020, R. Solem.