

None

*Lepiota cristata* (Bolton) P. Kummer



SIDE: Triadelphia Reservoir, 8/24/2012, J. Solem.  
 TOP: Triadelphia Reservoir, 8/24/2012, J. Solem.  
 GILLS, RING, STALK: Triadelphia Reservoir, 8/24/2012, J. Solem.  
 TOP, RING: Robinson Nature Center, 10/3/12, J. Solem.  
 SRALK, RING, GILLS: Robinson Nature Center, 10/3/12, J. Solem.

None

[\*Lepiota cristata\*](#) [or near]  
 Agaricaceae

J	F	M	A	M	J	J	A	S	O	N	D
					---	---+	+++	+---	+---		

**ID:** Cap white w/ cinnamon-brown scales. Small white ring. Stalk cylindrical (may be bulbous at base).

**Habitat:** Scattered, groups. On ground or decayed wood in forests (conifers).

**Cap:** 0.4 – 2.8" [1 – 7 cm]

White w/ cinnamon-brown scales. Dry. Smooth (but shows concentric rings of brown scales in age). Convex (broadly convex/nearly flat in age, sometimes w/ small umbo). Flesh white; odor unpleasant/spicy/absent.

**Gills:** White; edges sometime toothed. Nearly free. Close. Narrow.

**Spores:** White/green.

**Stalk:** 0.8 – 3.1" x 1/8 – 1/4" [2 – 6 cm x 2 – 6 mm]

White/pale pinkish-buff; often brownish at base. Smooth. Cylindrical/ sometimes bulbous at base; hollow in age. White partial veil leaves persistent, small, white ring.

**Frequency:** Fairly common.

**Locations:** BRNBR, DANPV, HIRIP, MANWD, MCHPV, PIGTL, ROBNC. MPENA, TRIRS.

**Notes:** Mycobank 221070.

**References:** Bar 244. BBF 188, 298. BBH 89. Bni 45. BRBD 166, 35. K&M 258. Lin 517, 177. M&M 586. Phi 38. Roo 69.