

None

Leratiomyces squamosus var. *thraustus*
(Kalchbrenner) Bridge & Spooner



OVERALL: Rockburn Branch Park, 11/11/2010, J. Solem.
GILLS and STALK: Rockburn Branch Park, 11/11/2010, J. Solem.
SIDE: Rockburn Branch Park, 11/11/2010, J. Solem.

None

[*Leratiomyces squamosus*](#)
[*var. thraustus*](#)
Strophariaceae

J	F	M	A	M	J	J	A	S	O	N	D
								---	---	+-	

ID: Orange-brown cap; scaly stem; upturned ring.

Habitat: Single, scattered, groups. Debris/buried wood in mixed forests.

Cap: 1.1 – 3.1" [3 – 8 cm]

Orange/brick-red, often paler (in age). Viscid when fresh. Covered w/whitish, scattered, pointed scales (many fewer in age). Convex (broadly convex in age). Margin w/ veil remnants. Flesh white.

Gills: Grayish, then violet-gray (purple-brown in age); edges whitish. Attached.

Spores: Purple-brown.

Stalk: 2.4 – 4.8" x 1/4 – 3/8" [6 – 12 cm x 6 – 10 mm]

Ochre. Densely covered from ring to base w/ whitish scales; above ring, whitish pruinose. Ring whitish, membranous, flaring.

Frequency: Uncommon.

Locations: RKBRP.

Notes:  Mycobank 511250.

Synonyms: *Stropharia thrausta*. *Stropharia squamosa* var. *thrausta*.
Psilocybe thrausta

References: Bar 207. BBF 251, 310. K&M 259. Kuo. Lin 25,515. M&M 256. Phi 230. Roo 74.