

Red-tinged Lepiota

Leucoagaricus rubrotinctus (Peck) Singer



OVERALL: MPENA, 8/19/2010, *J. Solem*.

SIDE: Gorman Stream Valley NRA, 10/17/2016, *J. Solem*.

GILLS, RING, and STALK: Gorman Stream Valley NRA, 10/17/2016, *J. Solem*.

Red-tinged Lepiota.

[*Leucoagaricus rubrotinctus*](#)

Agaricaceae

J	F	M	A	M	J	J	A	S	O	N	D
						---	+-	+++	+-		

ID: Reddish-/coral-pink; rounded; white stalk w/ ring.

Habitat: Solitary, scattered, groups. On ground in hardwoods, on compost, on leaf litter.

Cap: 1.1 – 3.1" [3 – 8 cm]

Reddish/brownish-pink (coral-pink/pinkish-orange/brownish-pink in age). Rounded (convex/flat w/ unbo in age). Margin often torn/cracked. Smooth/dry (cracked/covered w/ tiny scales in age). Disc remains uncracked/smooth and darker red-brown/coral-pink. Flesh white.

Gills: White w/ no staining. Free. Close. Narrow.

Spores: *White*. Oval/ellipsoid, smooth.

Stalk: 2 – 5.8" x 1/8 x 3/8" [5 – 15 cm x 3 – 10 mm]

White (sometimes discolored in age). Equal/tapers up. White membranous veil forms superior ring. Hollow in age.

Frequency: Occasional.

Locations: GONRA, HAMVL, MPENA, SAVMT.

Notes: Mycobank 287717. MPENA and Gorman Stream Valley NRA specimens identified by examination of spores by *R. Solem*.

Synonym: *Lepiota rubrotincta*.

References: Bar 243. BBF 189, 298. E&S 207fn. K&M 261. Lin 523, 159. Phi 37. Kuo. W&L 717.



SPORES (6.6-9.2 X 4.0-4.6 μm): MPENA, 8/19/2010, *R. Solem*.

SPORES (6.8-7.3 x 3.3-3.9 μm): Gorman Stream Valley NRA, 10/17/2016, *R. Solem*.