

None


Mycena niveipes (Murrill) Murrill



OVERALL: Robinson Nature Center, 10/6/2016, *J. Solem*.
 GILLS and STALK: Robinson Nature Center, 10/6/2016, *J. Solem*.
 CAP (young): Robinson Nature Center, 10/6/2016, *J. Solem*.
 OVERALL: Robinson Nature Center, 10/6/2016, *J. Solem*.

None

[*Mycena niveipes*](#)
 Mycenaceae



ID: Pinkish-purplish (grayish-brown in age); convex, striated.
Habitat: Scattered, groups. On well-decayed, mossy hardwood stumps and logs.
Cap: 0.6 – 2.8" [1.5 – 7 cm]
 Grayish-/pale-brownish (white in age). Bald. Convex/broadly conical. Prominent umbo. Margin faintly lined (strongly lined/splitting in age). Moist when fresh. Odor of bleach (or not). Tastes acidic.
Gills: Pale grayish/whitish. Close. Attached w/notch.
Spores: *White*. Ellipsoid, smooth.
Cystidia: Fusiform-ventricose.
Stalk: 1.6 – 3.9" x 1/8 – 1/4" [4 – 10 cm x 3 – 6 mm]
 Silvery-grayish (whitish in age) w/ tiny whitish fibers (bald in age). Bottom half may discolor brownish.
Frequency: Uncommon.
Locations: ROBNC.
Notes: Mycobank 181423. Robinson Nature Center specimen identified by examination of spores by R. Solem. (No bleach odor in 10/6/2016 specimens.)
References: K&M 288. Kuo.



SPORES (8.4-9.7 x 5.8-6.7 μm):
 Robinson Nature Center,
 10/6/2016, *R. Solem*.



CYSTIDIUM (90.0 x 14.9 μm):
 Robinson Nature Center,
 10/6/2016, *R. Solem*.