

None

Pycnoporellus fulgens (Fries) Donk



OVERALL (with red bruises):

Castleford Drive,
8/27/2019, S. Muller.

PORES: Castleford Drive,
8/28/2019, J. Solem.

PORES (elongated): Castleford
Drive, 8/28/2019, J. Solem.

SIDE: Castleford Drive,
8/28/2019, J. Solem.

None

Pycnoporellus fulgens
Fomitopsidaceae

J	F	M	A	M	J	J	A	S	O	N	D
-----+-----											

ID: Body pale yellow to orange/rusty brown; semicircular/ fan-shaped; stalkless. Pores orange, often lacerated in age. Bruises red.

Habitat: Solitary, scattered, groups, overlapping clusters. Usually on decaying conifers, occasionally hardwoods. Mostly on cut ends of logs.

Fruiting Body: 1.5 – 3.5" [4 – 9 cm]

Pale-/dark-orange to rusty brown. Surface covered w/ tiny, matted hairs, faint concentric rings (nearly smooth in age); margin often whitish. Bruises red. Semicircular/fan-shaped, flattened/slightly convex. Flesh pale orange to rusty-red; corky/fibrous-tough.

Pores: Pale-/dark-orange, often lacerated in age. Circular/angular (2 – 3/mm). Tubes (4 mm).

Spores: Whitish/buffy-white.

Frequency: Uncommon.

Locations: CASFD.

Notes: Mycobank 322113. KOH on flesh: red then quickly black.

References: BBF 392, 399. Kuo. Roo 382. Stu 319.