

None

Rickenella fibula (Bullard) Raitelhuber



OVERALL: High Ridge Park, 7/10/2015, R. Orr.
 GILLS: High Ridge Park, 7/10/2015, J. Solem.
 CAPS: Robinson Nature Center, 8/9/2012, J. Solem.
 GILLS: Robinson Nature Center, 8/9/2012, J. Solem.
 SPORES (5.5-6.0 X 2.0-2.4 μm): High Ridge Park, 7/10/2015, R. Solem.

None

[*Rickenella fibula*](#)
 Rickenellaceae

J	F	M	A	M	J	J	A	S	O	N	D
				+++	+	+	+	---	-+	-	-

ID: Cap orangish-brown, convex, striated; very small. Stalk color of cap. Always in moss.

Habitat: Scattered, groups. In moss.

Cap: 1/8 – 5/8" [3 - 15 mm]

Orangish-/reddish-brown (yellowish orange in age). Convex, w/ depressed center. Margin inrolled at first, then striate. Flesh very thin.

Gills: Whitish. Decurrent. Distant

Spores: *White*. Cylindrical, smooth, hyaline.

Stalk: 3/8 – 2" x 1/16" [1 – 5 cm x 1 – 2 mm]

Yellowish-orange. Dry/moist. Finely hairy; becomes smooth. Hollow.

Frequency: Fairly common..

Locations: BOLPL, DANPV, GONRA, HIRIP, LONGC, PIGTL, ROBNC, WSTRP.

Notes: Mycobank 322818. High Ridge Park specimen identified by examination of spores by R. Solem.

References: Bar 252. BBF 243, 308. Bni 145. Lin 796, 59. M&M 187. Phi 93. Roo 185fn. Stu 166.