Tapinella atrotomentosa (Batsch) Sutara









TOP: Rocky Gorge Reservoir, 8/24/2009, J. Solem.

OVERALL: Pigtail, 6/30/2009, J. Solem.

GILLS and STALK: Western Regional Park, 8/19/2018, S. Muller.

TOP: Western Regional Park, 8/19/2018, S. Muller.

Velvet Paxillus Velvet–footed Pax

<u>Tapinella atrotomentosa</u> Tapinellaceae

J F M A M J J A S O N D +++++ ---

ID: Stalk velvety w/ matted blackish-brown hairs. Cap dull olive-brown w/ matted hairs.

Habitat: Solitary, groups, clusters. On decaying conifer logs/stumps, or on partially buried wood.

Cap: 1.5 - 5.8" [4 - 15 cm]

Dull olive-/rusty-/yellowish-/blackish-brown. Felty/smooth; covered w/ matted hairs. Convex (flat/disc sometimes depressed in age). Margin inrolled when young. Flesh whitish, thick, tough.

Gills: Tan/yellow-brown/dull yellow. Decurrent. Close, often forked near stalk. Depth = cap flesh.

Spores: *Dull yellow/pale brownish-yellow*. Ellipsoid, smooth, hyaline/pale brown.

Stalk: 0.8-4" x 0.4-1.2" [2 -10 cm x 1-3 cm] Eccentric/nearly lateral. Light brown. Velvety w/ covering of densely matted dark-/blackish-brown hairs. Equal/ tapers up. Flesh whitish. Solid.


Frequency: Very common.

Locations: DANPV, FRANF, GONRA, HAMVL, HENPV, LONGC, MANWD, MCHPV, MPENA, OTHER, PIGTL, RKBRP, ROGOR, WINTR, WSTRP, WFDRP.

Notes: Mycobank 360246. Pigtail record identified by examination of spores by R. Solem.

Synonym: Paxillus atrotomentosus.

References: Bar 224. BBF 220, 10. BBH 159. Bni 291. BRBD 181, 40. E&S 2441. K&M 369. Lin 670, 322. M&M 288. Phi 196. Roo, 148. Stu 206. W&L 395.



SPORES (4.6-5.2 x 3.4-3.9 μm): Western Regional Park, 8/19/2018, *R. Solem*.