

None

Xeromphalina caudicinalis (Fries) Kuhner & Marie



OVERALL: Rockburn Branch Park, 9/12/2009, R. Orr.

GILLS and STALK: Rockburn Branch Park, 9/12/2009, R. Orr.

OVERALL: Rockburn Branch Park, 9/12/2009, R. Orr.

None

Xeromphalina caudicinalis
Mycenaceae

J	F	M	A	M	J	J	A	S	O	N	D
					-	-	-	-	++	-	-

ID: Cap orange-brown; convex, disc depressed (flatter in age). Stalk yellow-brown, darker at base. Orange hairs at base.

Habitat: Solitary, scattered, groups (occasionally). On conifer forest debris.

Cap: 1/8 – 1" [5 – 25 mm]

Yellow-/orange-brown. Convex, disc depressed (nearly flat in age). Taste slowly becomes bitter.

Gills: Pale yellow. Attached at first, then decurrent. Subdistant. Secondary gills.

Spores: *White*.

Stalk: 1.1 – 3.1" x 1/32 – 1/16" [3 – 8 cm x 1 – 2.5 mm]

Yellow-brown to dark brown at base. Equal, straight. Pliant, tough. Orange hairs at base.

Frequency: Occasional.

Locations: LONGC, PIGTL, RKBPR.

Notes: Mycobank 429935.

References: Bni 197fn. Kuo. M&M 193.

http://mushroomobserver.org/name/show_name/533