

None

*Clitocybe fragrans* (Withering) P. Kummer



OVERALL: Annapolis Rock, PRST, 11/19/2010, *J. Solem*.  
 TOPS: Hammond Village, 12/26/2014, *J. Solem*.  
 GILLS, STALK and BASE: Annapolis Rock, PRSP, 11/19/2010, *J. Solem*.  
 TOPS (old): Hammond Village, 12/26/2014, *J. Solem*.  
 SIDE (old): Hammond Village, 12/26/2014, *J. Solem*.

None

[Clitocybe fragrans](#)  
 Tricholomataceae



**ID:** In pine needles. Golden-brown/buff cap; margin inrolled; gills buff; stalk color of cap. White mycelium.

**Habitat:** Groups/small clusters in pine needles.

**Cap:** 3/8 – 1.4" [1 – 3.5 cm]

Yellow/golden-brown (buff in age). Convex (flat/depressed in age). Moist when young. Margin inrolled (finely lined in age).

**Gills:** Buff. Broadly attached. Close/nearly distant.

**Spores:** *White*. Oval, smooth

**Stalk:** 3/4 – 1.6" x 3/16" [2 – 4 cm x 4 mm]

Golden-brown/buff, brownish toward base. Smooth/shiny above. Hollow. White mycelium.

**Frequency:** Uncommon.

**Locations:** ANNRK, HAMVL.

**Notes:** Mycobank 232936. Hammond Village specimen identified by examination of spores by R. Solem.

**References:** Aro 162fn. Phi 61. <https://www.first-nature.com/fungi/clitocybe-fragrans.php>



SPORES (5.1 – 6.2 X 2.5 – 3.0 μm): Hammond Village, 12/26/2014, *R. Solem*.