None



OVERALL:"Henryton, PVSP, 8/13/2009, *R. Solem.* CAPS and GILLS: Henryton, PVSP, 8/13/2009, *R. Solem.* OVERALL: Henryton, PVSP, 8/13/2009, *J. Solem.* GILLS and STALKS: Henryton, PVSP, 5/30/2010, *N. Magnusson.* 

None

J F M A M J J A S O N D ++----

**ID**: Cap brownish, smooth, conic. Gills grayish-brown. Stalk w/ dense gray fuzz.

Habitat: Solitary, scattered, groups. On rotted horse/cattle manure.

**Cap**: 0.4 – 1.5" [1 – 4 cm] Reddish-/orangish-brown. Surface smooth. Conic. Margin rimmed w/ tooth-like whitish veil remnants.

Gills: Grayish-brown, edges light. Attached. Distant.

Spores: Blackish. Ellipsoid w/ apical pore, smooth. blackish.

**Stalk**: 2.4 - 5.5" x 1/16 - 1/4" [6 - 14 cm x 1.5-5 mm] Grayish-white (brown in age). Pruinose (dense gray fuzz). Hollow.

Frequency: Uncommon.

Locations: HENPV.

**Notes:** Mycobank 141363. Henryton specimen identified by examination of spores by R. Solem.

Synonyms: Psilocybe argentina.

References: Kuo.



SPORES (13.2-14.5 x 11.6 µm): Henryton, PVSP, 5/30/2010, R. Solem.